

MSFFL3117 Install mosaic and panel parquetry flooring

Modification History

Release 1. Supersedes and is equivalent to MSFFL3083 Install patterned and mosaic parquetry flooring. Changes to application, elements and performance criteria to improve clarity and consistency across MSFFL units

Application

This unit describes the skills and knowledge required to prepare, set out, cut and install mosaic and panel parquetry floors to complete rooms. It includes laying a moisture vapour barrier and underlay.

Workers with this competency undertake routine tasks on residential and nonresidential/commercial sites according to job instructions and workplace procedures using discretion, judgement and problem-solving to identify and resolve routine issues. They work with a high degree of self-direction under routine supervision, and they are responsible for their output.

The work described in this unit may require a licence or certification in some jurisdictions, and state or territory authorities should be consulted to determine the current status. Workers on construction sites are required by law to complete induction training. They must also comply with Australian Standards, codes and manufacturers' installation instructions.

Prerequisite Unit

None

Unit Sector

Flooring technology

Elements and Performance Criteria

Workers with this competency can do the following.

Elements	Performance Criteria
1. Prepare to install mosaic and panel parquetry flooring	<p>1.1 Interpret mosaic and panel parquetry flooring installation requirements from job instructions and manufacturers' instructions and calculate the quantities of materials required</p> <p>1.2 Identify hazards relating to the work site, work practices, materials, tools and equipment, and check risk treatments are in place and operating</p> <p>1.3 Select and check all required tools and equipment are ready to use, and organise to fix any deficiencies according to workplace procedures</p> <p>1.4 Gather the parquetry flooring material and confirm its species, grade, size, quantity and quality against job instructions</p> <p>1.5 Check and confirm the parquetry flooring material's moisture content is suitable for site conditions according to workplace procedures</p> <p>1.6 Gather adhesives, trims and other materials required by job instructions, and check they meet quality requirements and are prepared and ready to install according to manufacturers' instructions</p>
2. Install moisture vapour barrier and underlay	<p>2.1 Confirm the subfloor is clean and suitable for installing the moisture vapour barrier and parquetry, and fix or report any deficiencies according to workplace procedures</p>

Elements	Performance Criteria
	2.2 Remove or undercut door jambs, cover trims and other joinery, and store for refitting or send for machining according to job instructions 2.3 Fasten the moisture vapour barrier according to manufacturer's instructions 2.4 Measure, mark and cut underlay to length and size to minimise waste 2.5 Fasten underlay according to workplace procedures and manufacturer's instructions 2.6 Finish installing underlay to meet quality requirements
3. Cut, fit and fasten mosaic and panel parquetry flooring	3.1 Establish the starting point and mark out working lines 3.2 Lay out the parquetry flooring according to job instructions to maximise aesthetics with respect to material colours, grains and patterns, to minimise waste, and to ensure an efficient, quality installation 3.3 Measure, mark and cut parquetry fingers or panels as required 3.4 Apply adhesive to the substrate according to the manufacturer's instructions and workplace procedures 3.5 Install the parquetry flooring according to the manufacturer's instructions, allowing appropriate intermediate and perimeter expansion joints 3.6 Install finishing strips appropriate for the type of subfloor, refit removed items and finish installing the flooring 3.7 Check the parquetry flooring is installed correctly according to job instructions and quality requirements, and fix any deficiencies 3.8 Make any necessary preparations for sanding the parquetry flooring according to job instructions
4. Complete the task according to workplace procedures	4.1 Clean up the work area, identify items for recycling and dispose of waste 4.2 Identify, tag and report any damage to equipment and tools 4.3 Check, clean and do routine maintenance on equipment and tools and store them and unused materials 4.4 Complete task outcome documentation

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Unit Mapping Information

Supersedes and is equivalent to MSFFL3083 Install patterned and mosaic parquetry flooring.

Links

Companion Volume implementation guides are found in VETNet –
<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>

Assessment Requirements

Performance Evidence

There must be evidence the candidate has completed the tasks in the elements and performance criteria of this unit of competency and has demonstrated the ability to install according to job instructions:

- one mosaic parquet floor or one panel parquet floor to a complete room.

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- manufacturer's installation instructions for mosaic and panel parquet flooring
- the safe and correct use of and maintenance requirements for tools and equipment for installing mosaic and panel parquet flooring
- the most common issues that can arise when installing mosaic and panel parquet flooring and how to avoid and respond to them
- workplace policies and procedures relevant to their job role and responsibilities including for:
 - installing mosaic and panel parquet flooring
 - communication and reporting
- environmental protection and sustainability, including maximising resource utilisation and minimising waste
- quality indicators for completed work and process improvements
- work health and safety, including the use of personal protective equipment and safety data sheets
- work planning
- how to identify if a subfloor is suitable for installing mosaic and panel parquet flooring
- how to identify if mosaic and panel parquet flooring are installed correctly.

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - locations in which to install mosaic and panel parquet flooring
 - moisture vapour barrier, underlay and mosaic and panel parquet flooring and other materials required by job instructions
- equipment and tools required for the activities set out in the elements and performance criteria, including those to control hazards
- job instructions and workplace procedures.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

Companion Volume implementation guides are found in VETNet –

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>